

# CONSTRUCTION

## Scaffolds: Connectivity, Information and Prevention



### Technology that saves lives

#### *Global Manufacturing Enterprise*

Every year Japan suffers extremely violent and massive tropical typhoons that cause widespread destruction across its path. As a consequence, scaffolds installed for road construction fall and cause accidents on the street; they can range from property damage to most severe cases where even people get hurt.

Our corporate client knew technology could help them end this issue, and needed a solution to connect the hardware and software solution and detect these problems in real-time, to reduce the accidents generated every time that a scaffold collapses on the street; but most importantly, they needed to find a solution to prevent accidents altogether.

#### KEY RESULTS

**REDUCE THE NUMBER OF  
SCAFFOLD ACCIDENTS  
TO ZERO**

**SMS/E-MAIL ALERT  
SYSTEM FOR SCAFFOLD  
ANOMALY DETECTION**

**REDUCE  
IMPLEMENTATION TIMES  
FROM MONTHS TO DAYS**

**AI PREDICTION MODELS  
TO PREVENT ACCIDENTS**



## Why Webee?

The truth of the matter is that our more than 6 years of expertise in developing hardware and software IoT solutions guarantee the speed needed to deploy solutions efficiently, providing an absolutely reliable solution at a record time and drastically cutting down the costs and time of deployment.

## Our Technology Approach

To help the company address the issue, Webee proposed a hardware and software solution, Japanese radio-certified, with the goal of preventing and monitoring scaffold movements in real-time. The software solution is built with no-coding in our Visual IoT Platform (VIOT). After sensors are placed in the scaffolds, we connect them to our software automatically to then extract the data in real-time. Once in the software and through our no-coding app-builder feature the client can create customized dashboards to visualize the data, and set up an SMS-E-mail alert system. The intuitive software gives the client the power to customize it without the need of technical expertise.



## HARDWARE APPROACH

**Movement Sensor:** With an accelerometer sensor in nine-axis we understand scaffolds movement in real-time. The sensor is connected wirelessly to the Gateway using LORA protocol.

**Distance Sensor:** Through an ultrasonic sensor we measure the distance between the scaffold and the ground in real-time.

This device is connected wirelessly to a Gateway through LORA protocol.

**Gateway:** The gateway holds everything together and is the connection between the devices and the Webee software. It's 3G and it uses LORA protocol.